Materials Science and Engineering, *A117* (1989) 267

Author Index

Arridge, R. G. C., 125

Bang, K., L1
Barrera, E. V., 45
Benci, J. E., 51
Birringer, R., 33
Blucher, J., L1

Cădek, J., L5
Chao, P. T., 191
Chen, N.-P., 157
Christ, H.-J., L25
Chumbley, L. S., 59
Cizeron, G., 175
Cornie, J. A., 199
Cotterell, B., 149

De Angelis, R. J., 75
Delamore, G. W., 255
Do'Hi, T., 227
Downing, H. L., 59
Duan, J. Z., 3
Dybiec, H., L31

Edmonds, D. V., 67

Fisher, R. M., 3
Fox, A. G., 3
Froes, F. H., 19

Gan, D., 141
Gibson, M. A., 255
Giessen, B. C., L1
Greenwood, G. W., L21
Gross, T. S., 75
Grujicic, M., 215

Heald, S. M., 45
Hsueh, C.-H., 115
Hu, C. T., 247
Hu, Z. Q., 221

Inal, O. T., 167

Jackson, A. G., 11
Jones, H., L21

Kaesche, H., L1
Kao, P.-W., 143
Ke, Y.-B., 149
Kim, Y.-W., 19
Korbel, A., L31
Kostorz, G., L17
Kozubski, R., L17
Krishnamurthy, S., 19
Kwon, H., 133

Laird, C., 83, 95, 103
Leu, S. S., 247
Li, Q., 199
Li, Y. Y., 221
Liang, F.-L., 83, 95, 103
Liu, J., 221
Lu, M.-C., 115

Mai, Y.-W., 149
Maier, H. J., L11
Marcus, H. L., 45
Masur, L. A., 199
Mathews, V. K., 75
Megusar, J., 199
Michałek, A., L17
Mishra, R. S., L21
Miyamoto, Y., 207
Mukherjee, K., 167
Murakami, K., 207, 227

Nakazono, S., 207

Okamoto, T., 207, 227
Okazaki, K., 75
Omlor, R. E., 11

Pak, H.-R., 167
Pak, J. S. L., 167
Paruz, H., 67
Plumtree, A., 157
Pope, D. P., 51

Ren, J.-C., 235
Robertson, E., 11

Schwander, P., L17
Servant, C., 175
Shen, P., 191
Soltys, J., L17
Song, J. S., 133
Spitzig, W. A., 59

Tang, N.-Y., 157
Todd, J. A., 235

Verhoeven, J. D., 59

Yao, K.-F., 157
You, R. K., 141

© Elsevier Sequoia/Printed in The Netherlands

Subject Index

Aging
  dynamic strain aging in Czochralski-grown silicon single crystals, 75
Alloys
  investigation into the structural evolutions of a low alloy steel during tempering, 175
  phase transformations in $(Ni,Cu)_3Sn$ alloys, 167
  plastic deformation: a major factor in hydrogen embrittlement of low alloy steel, L11
  rapid solidification and self-annealing of Fe–C–Si alloys by low pressure plasma spraying, 207
  rapid solidification of lightweight metal alloys, 19
  rapidly solidified thick deposit layers of Fe–C–Mo alloys by flame spraying, 227
  the mechanism of superplastic flow in an Al–Mg alloy, L31
Aluminium
  a high resolution transmission electron microscopy study of SiC-coated graphite fiber–aluminum composite, 199
  mechanical properties of Fe–30Mn–10Al–1C–1Si alloy, 141
  morphology of zirconia in Y–PSZ sintered with Ni_2AlTi, 191
  the mechanism of superplastic flow in an Al–Mg alloy, L31
  up-quenching effect on the stabilization process of a Cu–Zn–Al martensite, 247
Annealing
  rapid solidification and self-annealing of Fe–C–Si alloys by low pressure plasma spraying, 207
Austenite
  the effect of cold work on the precipitation kinetics of an advanced austenitic steel, 235

Boron
  crystallization of low silicon content Fe–Si–B metallic glasses, 255

Carbon
  a high resolution transmission electron microscopy study of SiC-coated graphite fiber–aluminum composite, 199
  coherent precipitation of M_2C carbides in AF1410 steel, 215
  effects of nickel additions on the fracture behavior of tempered martensite in medium-carbon 6W steel, 133
  mechanical properties of Fe–30Mn–10Al–1C–1Si alloy, 141
  rapid solidification and self-annealing of Fe–C–Si alloys by low pressure plasma spraying, 207
  rapidly solidified thick deposit layers of Fe–C–Mo alloys by flame spraying, 227
Cavity growth
  on the cavity-growth-model-based prediction of the stress dependence of time to creep fracture, L5
Cold working
  the effect of cold work on the precipitation kinetics of an advanced austenitic steel, 235
Composites
  a high resolution transmission electron microscopy study of SiC-coated graphite fiber–aluminum composite, 199
  electron microscopy observation of an *in situ* Cu–Nb composite, 59
  the thermal expansion of a two-phase composite with body-centred cubic symmetry, 125
Copper
  control of intergranular fatigue cracking by slip homogeneity in copper
    I: effect of grain size, 95
    II: effect of loading mode, 103
  electron microscopy observation of an *in situ* Cu–Nb composite, 59
  microradiography of creep damage in copper, 51
  phase transformations in $(Ni,Cu)_3Sn$ alloys, 167
  preparation of the metastable interstitial copper nitride, Cu_4N, by d.c. plasma ion nitriding, L1
  the effect of environment on the mechanism of fatigue crack initiation and propagation in polycrystalline copper, 83
  up-quenching effect on the stabilization process of a Cu–Zn–Al martensite, 247
Cracking
  control of intergranular fatigue cracking by slip homogeneity in copper
    I: effect of grain size, 95
    II: effect of loading mode, 103
  on the orientation of cyclic-slip-induced intergranular fatigue cracks in face-centred cubic metals, L21
  the effect of environment on the mechanism of fatigue crack initiation and propagation in polycrystalline copper, 83
Creep
  microradiography of creep damage in copper, 51
  on the cavity-growth-model-based prediction of the stress dependence of time to creep fracture, L5
Crystallization
  crystallization of low silicon content Fe–Si–B metallic glasses, 255
Czochralski growth
  dynamic strain aging in Czochralski-grown silicon single crystals, 75

Deformation
  plastic deformation: a major factor in hydrogen embrittlement of low alloy steel, L11
Diffusion
  some correlations between parameters relating to grain boundary self-diffusion in silver, L21

Embrittlement
  effect of directional solidification on resistance to hydrogen embrittlement of a stainless steel, 221
  plastic deformation: a major factor in hydrogen embrittlement of low alloy steel, L11

Fatigue
  control of intergranular fatigue cracking by slip homogeneity in copper
    I: effect of grain size, 95
    II: effect of loading mode, 103
  on the orientation of cyclic-slip-induced intergranular fatigue cracks in face-centred cubic metals, L25
  the effect of environment on the mechanism of fatigue crack initiation and propagation in polycrystalline copper, 83
Fracture
  effects of nickel additions on the fracture behavior of tempered martensite in medium-carbon 6W steel, 133
  in situ fracture experiment on a duplex stainless steel, 157
  on the cavity-growth-model-based prediction of the stress dependence of time to creep fracture, L5
  the fracture resistance of sintered steel, 149

Graphite
  a high resolution transmission electron microscopy study of SiC-coated graphite fiber–aluminum composite, 199

Hardening
  the strain hardening behaviour of dual-phase steel, 67
Hydrogen
  effect of directional solidification on resistance to hydrogen embrittlement of a stainless steel, 221
  plastic deformation: a major factor in hydrogen embrittlement of low alloy steel, L11

Iron
  crystallization of low silicon content Fe–Si–B metallic glasses, 255
  mechanical properties of Fe–30Mn–10Al–1C–1Si alloy, 141
  rapid solidification and self-annealing of Fe–C–Si alloys by low pressure plasma spraying, 207
  rapidly solidified thick deposit layers of Fe–C–Mo alloys by flame spraying, 227

Layered structures
  extended X-ray absorption fine structure of interfaces of layered structures, 45

Magnesium
  characterization of submicrometer phase particles in rapidly solidified Mg–20Nd, 11
  the mechanism of superplastic flow in an Al–Mg alloy, L31
Manganese
  mechanical properties of Fe–30Mn–10Al–1C–1Si alloy, 141
Martensite
  effects of nickel additions on the fracture behavior of tempered martensite in medium-carbon 6W steel, 133
  up-quenching effect on the stabilization process of a Cu–Zn–Al martensite, 247
Mechanical properties
  mechanical properties of Fe–30Mn–10Al–1C–1Si alloy, 141
Metallic glasses
  crystallization of low silicon content Fe–Si–B metallic glasses, 255

Molybdenum
  rapidly solidified thick deposit layers of Fe–C–Mo alloys by flame spraying, 227
  resistometric study of short-range ordering in Ni–10at.%Mo, L17

Nanocrystalline materials
  nanocrystalline materials, 33
Neodymium
  characterization of submicrometer phase particles in rapidly solidified Mg–20Nd, 11
Nickel
  effects of nickel additions on the fracture behavior of tempered martensite in medium-carbon 6W steel, 133
  morphology of zirconia in Y-PSZ sintered with Ni_2AlTi, 191
  phase transformations in $(Ni,Cu)_3Sn$ alloys, 167
  resistometric study of short-range ordering in Ni–10at.%Mo, L17
Niobium
  electron microscopy observation of an *in situ* Cu–Nb composite, 59
Nitrogen
  preparation of the metastable interstitial copper nitride, Cu_4N, by d.c. plasma ion nitriding, L1

Phase transformations
  phase transformations in $(Ni,Cu)_3Sn$ alloys, 167
Precipitation
  coherent precipitation of M_2C carbides in AF1410 steel, 215
  the effect of cold work on the precipitation kinetics of an advanced austenitic steel, 235

Quenching
  up-quenching effect on the stabilization process of a Cu–Zn–Al martensite, 247

Rapid solidification
  characterization of submicrometer phase particles in rapidly solidified Mg–20Nd, 11
  rapid solidification and self-annealing of Fe–C–Si alloys by low pressure plasma spraying, 207
  rapid solidification of lightweight metal alloys, 19
  rapidly solidified thick deposit layers of Fe–C–Mo alloys by flame spraying, 227

Short-range ordering
  resistometric study of short-range ordering in Ni–10at.%Mo, L17
Silicon
  a high resolution transmission electron microscopy study of SiC-coated graphitre fiber–aluminum composite, 199
  crystallization of low silicon content Fe–Si–B metallic glasses, 255
  dynamic strain aging in Czochralski-grown silicon single crystals, 75
  mechanical properties of Fe–30Mn–10Al–1C–1Si alloy, 141
  rapid solidification and self-annealing of Fe–C–Si alloys by low pressure plasma spraying, 207
Silver
  some correlations between parameters relating to grain boundary self-diffusion in silver, L21

Sintering
  morphology of zirconia in Y–PSZ sintered with Ni_2AlTi, 191
  the fracture resistance of sintered steel, 149
Slip
  control of intergranular fatigue cracking by slip homogeneity in copper
    I: effect of grain size, 95
    II: effect of loading mode, 103
  on the orientation of cyclic-slip-induced intergranular fatigue cracks in face-centred cubic metals, L21
Solidification
  effect of directional solidification on resistance to hydrogen embrittlement of a stainless steel, 221
Stainless steel
  effect of directional solidification on resistance to hydrogen embrittlement of a stainless steel, 221
  in situ fracture experiment on a duplex stainless steel, 157
Strain
  dynamic strain aging in Czochralski-grown silicon single crystals, 75
  the strain hardening behaviour of dual-phase steel, 67
Stress
  elastic stress transfer from fiber to coating in a fiber–coating system, 115
  on the cavity-growth-model-based prediction of the stress dependence of time to creep fracture, L5
  structures and stresses in nanograin thin metal films, 3
Superplastic flow
  the mechanism of superplastic flow in an Al–Mg alloy, L31
Tempering
  investigation into the structural evolutions of a low alloy steel during tempering, 175
Thermal expansion
  the thermal expansion of a two-phase composite with body-centred cubic symmetry, 125
Thin films
  structures and stresses in nanograin thin metal films, 3
Tin
  phase transformations in $(Ni,Cu)_3Sn$ alloys, 167
Titanium
  morphology of zirconia in Y–PSZ sintered with Ni_2AlTi, 191
Transmission electron microscopy
  a high resolution transmission electron microscopy study of SiC-coated graphite fiber–aluminum composite, 199
Tungsten
  effects of nickel additions on the fracture behavior of tempered martensite in medium-carbon 6W steel, 133

Y–PSZ
  morphology of zirconia in Y–PSZ sintered with Ni_2AlTi, 191

Zinc
  up-quenching effect on the stabilization process of a Cu–Zn–Al martensite, 247
Zirconia
  morphology of zirconia in Y–PSZ sintered with Ni_2AlTi, 191